



EXTREME LIGHTING FOR EXTREME MACHINES



WILDERNESS
COMPACT

WILDERNESS
SOLO

WILDERNESS
DUPLEX

WILDERNESS
CURVE

WILDERNESS
ORB

WILDERNESS
SCENE

WILDERNESS
MULTI

WILDERNESS
QUAD

WILDERNESS
HAZARD

WILDERNESS
OVAL



WELCOME TO THE WILDERNESS LIGHTING DIFFERENCE

USING CLASS LEADING TECHNOLOGY, WILDERNESS LIGHTING SUPPLY SOME OF THE HIGHEST QUALITY AND BRIGHTEST LED LIGHTING AVAILABLE ON THE MARKET TODAY FOR BOTH ON AND OFF ROAD USE.

WE ARE AT THE FOREFRONT OF LED DESIGN AND ARE ALWAYS STRIVING TO IMPROVE OUR LIGHTS TO ENSURE WE STAY ON THE CUTTING EDGE OF THE LATEST LED TECHNOLOGY.



WE LEAD WHILE OTHERS FOLLOW.

THE UNBEATABLE TOUGHNESS AND DURABILITY OF OUR LIGHTS MEANS THEY ARE IDEALLY SUITED FOR THE MOST EXTREME CONDITIONS SUCH AS AGRICULTURE, MINING, FORESTRY, MARINE AND EXTREME OFF ROAD MOTORSPORT. WHATEVER APPLICATION OUR LIGHTS ARE USED FOR THEY WILL NOT LET YOU DOWN. THE INCREDIBLE LEVELS OF ILLUMINATION FROM EVEN THE SMALLEST OF LIGHTS FAR EXCEEDS THE AGEING HID AND HALOGEN COUNTERPARTS AND THE CHEAPER, POOR QUALITY LEDs THAT WE ALL SEE ADVERTISED ON AUCTION SITES. TO PUT IT IN PERSPECTIVE ONE OF OUR SMALL COMPACT 4 LIGHTS PRODUCE 3200 LUMENS OF LIGHT WHILE CONSUMING 2.8 AMPS OF POWER. COMPARE THESE FIGURES TO A STANDARD 55 WATT HALOGEN LIGHT FOUND ON MANY VEHICLES WHICH PRODUCE ONLY 900 LUMENS OF LIGHT WHILE DRAWING A MASSIVE 5 AMPS OF POWER. OUR BUILD AND ROBUSTNESS FAR OUTCLASSES MOST OF OUR COMPETITORS. VERY FEW LIGHTS OUT IN THE MARKET TODAY HAVE WATER AND DUST INGRESS RATING OF BOTH IP68 & IP69K WHICH IS THE HIGHEST STANDARD AVAILABLE COMBINED WITH CLASS

LEADING GRADE A CREE & OSLO LED CHIPS. WE WERE THE FIRST SUPPLIER TO OFFER A 3 AND 5 YEAR 'NO QUIBBLE' GUARANTEE DUE TO OUR UNDYING BELIEF IN HAVING THE TOUGHEST QUALITY PRODUCT IN THE MARKET.

OUR LIGHTS HAVE PROVEN THEMSELVES IN THE TOUGHEST RACE ON THE PLANET IN THE DAKAR 2016, THE EPIC EXTREME OVERLAND RACE IN SOUTH AMERICA, THAT REQUIRES THE DRIVERS AND CARS TO DEAL WITH THE HEAT OF OVER +40°C IN DESERTS AND DOWN TO -10°C WHEN GOING OVER THE ANDES. DEALING WITH THE DUST AND FISH OF BOLIVIA AND SPRAY FROM A SOAKED SALT LAKE BED AFTER AN UNEXPECTED STORM, OUR LIGHTS WERE CHOSEN BY ONE OF THE TOP TEAMS AND PLACED ON FRONT OF AN OVERLAND RACING TOYOTA HILUX. DURING THE TWO WEEKS OF RACING THE RACE CAR WAS INVOLVED IN NO LESS THAN 4 MAJOR INCIDENTS WHICH REQUIRED THE FRONT END OF THE CAR TO BE COMPLETELY REBUILT. THE LIGHTS NEVER NEEDED TO BE CHANGED.

CONTENTS

PAGE 4
MEET THE WILDERNESS
LIGHTING RANGE

PAGE 5
TYPICAL BEAM PATTERNS

PAGES 6-7
KEY FEATURES

PAGES 8-15
COMPACT LIGHTING

PAGES 16-19
DUPLEX LIGHTING

PAGES 20-23
SCENE LIGHTING

PAGES 24-26
CURVE LIGHTING

PAGE 27
QUAD LIGHTING

PAGES 28-29
ORB LIGHTING

PAGES 30-31
SOLO LIGHTING

PAGE 32
OVAL LIGHTING

PAGE 33
MULTI LIGHTING

PAGES 34-35
HAZARD LIGHTING

PAGE 36
VEHICLE MOUNTS

PAGE 37
BUMPER BEAMS

PAGES 38-39
BLUE BOOM SPRAYER KITS

PAGES 40-42
SPECIAL LIGHTING KITS
& ACCESSORIES

MEET THE WILDERNESS LIGHTING RANGE...



WILDERNESS COMPACT RANGE

OUR COMPACT RANGE CONSISTS OF THE SMALL COMPACT 1 SPOT LIGHT WHICH MAKES AN IDEAL ADDITION TO THE FRONT OF ANY MOTORBIKE TO THE LARGER COMPACT 2 AND COMPACT 2+ LIGHTS WHICH HAVE A CHOICE OF 3 BEAM PATTERNS. THE WORK HORSE IN OUR COMPACT RANGE IS THE COMPACT 4 AND 6 LIGHTS WHICH HAVE A CHOICE OF 5 BEAM PATTERNS FOR MOST LIGHTING REQUIREMENTS. THIS LIGHT IS VERY POPULAR WITH AGRICULTURAL AND FORESTRY MANUFACTURERS. THE LATEST EDITION TO THE COMPACT RANGE IS THE COMPACT 8 WITH SIDE EMITTING LEDs AND A CHOICE OF FRONT FACING BEAM PATTERNS.



WILDERNESS DUPLEX

OUR RANGE OF DUPLEX DOUBLE ROW LIGHTS ARE THE ULTIMATE IN LED LIGHTING WITH SIZES FROM 6" TO 50" AND A CHOICE OF 3 LIGHT OUTPUT LEVELS. THESE LIGHTS WILL REALLY TRANSFORM NIGHT TO DAY GIVING THE ULTIMATE IN ILLUMINATION. THE 10" AND 20" DUPLEX 5 LIGHTS ARE ALSO AVAILABLE FULLY E MARKED FOR ROAD USE.



WILDERNESS CURVE

OUR RANGE OF CURVE DOUBLE ROW LIGHTS ARE BASED ON OUR VERY POPULAR DUPLEX LIGHTS AND HAVE BEEN DESIGNED WITH A GENTLE ARC TO THE ALUMINIUM HOUSING TO INCREASE THE LIGHT SPREAD. THEY SHARE ALL THE SAME QUALITIES AND FEATURES AS THE DUPLEX RANGE AND COME WITH A CHOICE OF 2 LIGHT OUTPUT LEVELS.



WILDERNESS QUAD

OUR QUAD LIGHT PACKS A REAL PUNCH IN TERMS OF LIGHTING, THE 7.5" LIGHT HAS AN IMPRESSIVE 4 ROWS OF LEDs IN THE TOUGH ALLOY HOUSING AND COMES WITH A HEAVY DUTY MOUNTING BRACKET COMPLETE WITH SECURITY NUTS TO PREVENT ANY UNAUTHORISED REMOVAL.



WILDERNESS ORB

OUR RANGE OF ORB LIGHTS CONSISTS OF THE 7" MINI ORB AND THE LARGER 8" ORB FITTED WITH BUILT IN DAYTIME RUNNING LIGHTS. BOTH LIGHTS COME WITH HEAVY DUTY MOUNTING BRACKETS COMPLETE WITH SECURITY NUTS TO PREVENT ANY UNAUTHORISED REMOVAL.



WILDERNESS SOLO

OUR RANGE OF SOLO SINGLE ROW LIGHTS COME IN AN ARRAY OF SIZES FROM 6" TO 50" MEANING THEIR LEAN SLEEK PROFILE WOULD LOOK AT HOME ON THE ROOF OF ANY 4X4 OR MACHINE ESPECIALLY WHEN SPACE MIGHT BE AN ISSUE FOR FITTING. THE 10" AND 20" LIGHTS ARE ALSO AVAILABLE FULLY E MARKED FOR ROAD USE.



WILDERNESS HAZARD

THE LATEST EDITION IS THE WILDERNESS HAZARD RANGE – BOTH THE HAZARD 3 & HAZARD 6 ARE ULTRA SLIM SURFACE MOUNTED AMBER LED WARNING LIGHTS WITH A CHOICE OF 18 FLASH PATTERNS. THE LARGER HAZARD 360 IS A HIGH INTENSITY MAGNETIC ROOF TOP LIGHT BAR. BE SAFE AND BE SEEN WITH WILDERNESS HAZARD.



WILDERNESS OVAL

OUR NEW RANGE OF 5" OVAL LIGHTS COME WITH A CHOICE OF DIFFUSED OR SPOT BEAM PATTERNS. THEIR SLEEK ROUNDED PROFILE MAKE THEM IDEAL FOR THE CURVED OR ROUNDED CABS FOUND ON MANY MODERN MACHINES AND VEHICLES.




WILDERNESS MULTI

OUR MULTI LIGHT IS A SMALL YET POWERFUL UNIT WHICH PRODUCES A WIDE 120 DEGREE LIGHT PATTERN. THE TOUGH ALLOY SURROUND AND RUBBER MOUNTING BASE ALLOW THE LIGHT TO BE FITTED PRETTY MUCH ANYWHERE ON A VEHICLE. AVAILABLE IN A CHOICE OF 5 LED COLOURS.

TYPICAL BEAM PATTERNS


OUR HYBRID REFLECTORS GIVE 94% OPTICAL REFLECTOR EFFICIENCY TO PRODUCE A CHOICE OF BEAM PATTERNS FOR EVERY APPLICATION OR INDIVIDUAL REQUIREMENT. PRACTICALLY ALL LED FIXTURES MEASURE LIGHT OUTPUT IN LUMENS AT THE SOURCE WHICH IS THE LED ITSELF. PROJECTING THE LIGHT FROM THE LED IN THE MOST EFFICIENT WAY ENSURES THE MAXIMUM AMOUNT OF LIGHT IS EMITTED FROM THE LED AND PROJECTED FORWARD EXACTLY WHERE YOU WANT IT.

SPOT - 10°




SPOT LIGHT BEAM PATTERN PRODUCES A LONG NARROW BEAM, IDEAL WHEN ILLUMINATION IS REQUIRED IN A TIGHT PATTERN - COMPACT, COMPACT 1, COMPACT 2, COMPACT 2+, COMPACT 8, ORB, OVAL & SOLO 'E' MARK RANGES.

FLOOD - 20°




FLOOD LIGHT BEAM PATTERN PRODUCES A MUCH WIDER SPREAD OF LIGHT WITH LESS DISTANCE THAN THE SPOT BEAM - COMPACT, COMPACT 2, COMPACT 2+, COMPACT 8 & ORB RANGES.

COMBINATION




COMBINATION BEAM PATTERN LIGHTS BENEFIT FROM HAVING BOTH SPOT & FLOOD REFLECTORS FITTED, TYPICALLY 30% OF LEDS HAVE FLOOD BEAM REFLECTORS WITH THE REMAINING 70% FITTED WITH SPOT BEAM REFLECTORS - ORB, SOLO, DUPLEX, CURVE & QUAD RANGES.

DIFFUSED 60°




DIFFUSED BEAM PATTERN LIGHTS HAVE A FLOOD REFLECTOR FITTED WITH A DIFFUSION LENS TO CREATE A 60 DEGREE SPREAD OF LIGHT - IDEAL AREA LIGHTING WHEN DISTANCE IS NOT NEEDED - COMPACT AND OVAL RANGES.

DRIVING




DRIVING EDITION BEAM PATTERN IS WIDER THAN THE SPOT & FLOOD LIGHT BEAM WITH DISTANCE SLIGHTLY SHORTER THAN SPOTS - COMPACT & SOLO RANGES.

SCENE - 120°



SCENE LIGHT BEAM PATTERN PRODUCES A WIDE 120° SPREAD OF LIGHT GIVING A MORE EVEN SPREAD OF LIGHT IN A CONCENTRATED AREA - COMPACT, COMPACT 2, COMPACT 2+ AND SCENE RANGES.



KEY FEATURES



THE UNBEATABLE TOUGHNESS AND DURABILITY OF OUR LIGHTS COMBINED WITH THE EXCEPTIONAL LIGHT OUTPUT REALLY PUTS THEM INTO A CLASS OF THEIR OWN WITH EACH LIGHT BENEFITTING FROM THE FOLLOWING KEY FEATURES:



GRADE A LEDs

WE ONLY USE GRADE A LED CHIPS FROM THE TOP 2 NAMES IN THE BUSINESS, OSLO & CREE. THESE ARE THE BRIGHTEST AND MOST ROBUST CHIPS YOU CAN GET AND NOT YOUR CHEAPER POOR QUALITY GRADE C, D OR E CHIPS. THESE LEDs PUT OUT MORE LIGHT THAN LOWER-CLASS LEDs EVEN WITH THE SAME RATING SO THEY DON'T HAVE TO WORK AS HARD – SO THEY LAST LONGER.



IP69K & IP68

MOST OF OUR LIGHTS COME WITH A WATER AND DUST INGRESS RATING OF IP68 WHICH MEANS THE LIGHTS ARE FULLY PROTECTED FROM DUST AND WATER AND CAN BE FULLY SUBMERSED IN WATER OVER 1M. MOST OF OUR LIGHTS ALSO COME WITH A MARKET LEADING WATER AND DUST INGRESS RATING OF IP69K MEANING YOU CAN ACTUALLY WASH THE LIGHTS WITH A HIGH PRESSURE SPRAY TO 90 DEGREES - THIS RATING IS THE HIGHEST LEVEL ACHIEVABLE AND USUALLY FOUND WITHIN THE FOOD INDUSTRY FOR STERILISING PRODUCTS.



HYBRID REFLECTORS

94% OPTICAL REFLECTOR EFFICIENCY GIVES A CHOICE OF BEAM PATTERNS FOR EVERY REQUIREMENT – SPOT, FLOOD, DRIVING, SCENE AND COMBINATION (FLOOD AND SPOT TOGETHER).



'E' MARK CERTIFICATION

OUR 10" AND 20" SOLO AND DUPLEX 5 LIGHTS NOW COME WITH THE OPTION OF BEING FULLY ECE APPROVED FOR ROAD USE, THIS ALLOWS THE LIGHTS TO BE WIRED DIRECTLY TO YOUR MAIN BEAM WHILE STAYING ON THE RIGHT SIDE OF THE LAW. ALL OTHER LIGHTS SHOULD BE USED OFF ROAD OR USED WITH AN ISOLATING SWITCH WHEN USED ON THE ROAD TO PROTECT OTHER ROAD USERS. OUR LIGHTS ARE ALSO ECE APPROVED WITH REGARD TO ELECTROMAGNETIC COMPATIBILITY (ECE R10).




9-36 VOLT

ALL OUR LIGHTS RUN ON A VOLTAGE RANGE FROM 9 – 36 VOLTS DC INPUT WHICH MEANS THEY CAN BE FITTED TO VIRTUALLY ANY KIND OF TRANSPORT OR PLANT WHETHER ON LAND OR WATER, EVEN UNDERGROUND AND UNDERWATER!



PLUG & PLAY

ALL OF OUR LIGHTS COME WITH THE INDUSTRY STANDARD WATER PROOF DEUTSCH CONNECTORS TO ENSURE AN EASY & SAFE INSTALLATION. MOST OF THE LARGER LIGHTS ALSO COME WITH A FULL WIRING HARNESS INCLUDING SWITCH, POWER SURGE PROTECTION, RELAY AND RING BATTERY CONNECTIONS. THE LOOM CAN BE USED TO RUN THE LIGHTS IN A MATTER OF SECONDS ON A TEMPORARY BASIS OR THE COMPONENTS CAN BE USED ON EXISTING VEHICLE WIRING FOR A PERMANENT FIX.



DUAL COLOUR LIGHTS

OUR DUPLEX 5 AND CURVE 5 RANGE OF LIGHTS CAN BENEFIT FROM HAVING A TWIN CIRCUIT FITTED, THE ONLY MANUFACTURER TO OFFER THIS FUNCTION THAT ALLOWS YOU TO HAVE 2 ROWS OF DIFFERENT COLOUR LEDS IN THE SAME LIGHT BOTH SWITCHED INDEPENDENTLY FOR VARYING CONDITIONS I.E 1 ROW OF WHITE LEDS AND 1 ROW OF AMBER LEDS.



CUSTOM COLOUR HOUSING

AS WELL AS THE STANDARD COLOURED HOUSINGS WE CAN ALSO OFFER A CUSTOM COLOUR SERVICE THAT ENABLES YOU TO HAVE ANY COLOUR OF HOUSING YOUR HEART OR HEAD DESIRES THEREFORE YOU CAN HAVE THE LIGHTS COLOUR MATCHED TO THE VEHICLE OR COMPANY BRANDING.



3/5 YEAR GUARANTEE

ALL OUR LIGHTS COME WITH AN INDUSTRY LEADING 3 YEAR 'NO QUIBBLE' GUARANTEE, WHILE THE COMPACT RANGE COME WITH AN IMPRESSIVE 5 YEAR GUARANTEE – THEY BREAK WE REPLACE THEM AND YOU GET A NEW GUARANTEE.



UNBREAKABLE LENS

ALL OUR LIGHTS COME WITH A 3MM GE LEXAN LENS WHICH IS 300 TIMES HARDER THAN NORMAL GLASS, OPTICALLY TRANSPARENT DESPITE BEING UNBREAKABLE AND SCRATCH-RESISTANT.



BLACK/MARINE WHITE HOUSING

ALL LIGHTS HAVE A WEATHER-RESISTANT AND WATERPROOF ALUMINIUM HOUSING COATED WITH UV-RESISTANT PAINT WHICH PREVENTS CHIPPING AND FADING FOR A LASTING FINISH.



CUSTOM LED COLOURS

WHITE LEDS COME AS STANDARD WITH THE OPTION OF AMBER LEDS FOR SUPERIOR LIGHTING IN FOG, SNOW AND DUSTY CONDITIONS. AMBER LEDS CAN ALSO BE INCORPORATED WITH FLASHER UNITS FOR THE ULTIMATE IN HAZARD WARNING. WE ALSO SUPPLY OUR LIGHTS WITH GREEN, RED OR BLUE LEDS FOR MORE SPECIALIST WORKING CONDITIONS SUCH AS CROP SPRAYING OR FORKLIFT TRUCK HAZARD WARNING.

KEY FEATURES

OVERSIZE COOLING FINS
KEEP LEDs RUNNING COOLER,
BRIGHTER AND LONGER



316 STAINLESS
SCREWS FOR EVERY
1.5 INCH OF SURFACE
AREA TO ENSURE A
TIGHT SEAL



MILITARY GRADE BREATHER



STAINLESS STEEL FIXINGS



OVERSIZED COOLING FINS



EFFICIENT LED DRIVER
CIRCUITRY ENABLES 97%
OF THE POWER TO GO
DIRECTLY TO THE LEDs



ECE R10 EMC



WILDERNESS
COMPACT 1
COMPACT
LED LIGHTS



50,000+ HOUR LIFESPAN • FULLY WATERPROOF • 5 YEAR WARRANTY



MOUNTING BRACKETS
AND HARDWARE INCLUDED.



OUR COMPACT 1 LED SPOT LIGHT BELONGS TO OUR RANGE OF SMALL LED WORKING LIGHTS. THIS 2" LIGHT HAS 1 X10 WATT CREE LED FITTED IN A SMOOTH ROUND REFLECTOR TO PRODUCE A 10 DEGREE SPOT BEAM PATTERN. AN IDEAL LIGHT WHEN DISTANCE ILLUMINATION IS REQUIRED RATHER THAN THE WIDER FLOOD BEAM. THE LOW ENERGY CONSUMPTION TECHNOLOGY MEANS THEY CONSUME LESS AND AN AMP OF POWER BUT PRODUCE AROUND 800 LUMENS OF LIGHT.



DUE TO THE SMALL SIZE OF THESE LIGHTS IT MAKES THEM IDEAL FOR FITMENT WHERE SPACE IS LIMITED SUCH AS THE FRONT OF MOTOR BIKES. DUE TO THIS THEY ALSO COME WITHOUT A DEUTSCH CONNECTOR MAKING THEM EASIER TO WIRE IN A CONFINED SPACE (THESE CONNECTORS CAN BE SUPPLIED IF REQUIRED). MOUNTING BRACKET AND HARDWARE ALSO INCLUDED READY FOR INSTALLATION.

DIMENSIONS

- HEIGHT: 56MM
- HEIGHT (INC.BRACKET): 81MM
- WIDTH: 56MM
- DEPTH: 69MM

COMPACT 1 LIGHTING

| | |
|---------------------|------------|
| PART NUMBER - BLACK | WDD0049 |
| NUMBER OF LEDs | 1 |
| WATTAGE / POWER | 10W |
| LED TYPE | CREE WHITE |
| LUMENS & AMP DRAW* | 800LM |
| BEAM PATTERN | FLOOD |



AVAILABLE BEAM PATTERNS



WILDERNESS COMPACT 2

COMPACT LED LIGHTS



50,000+ HOUR LIFESPAN • FULLY WATERPROOF • 5 YEAR WARRANTY



**MOUNTING BRACKETS
AND HARDWARE INCLUDED.**

**DEUTSCH CONNECTORS
INCLUDED.**



OUR COMPACT 2 LIGHTS HAVE ALL THE ATTRIBUTES OF ITS BIG BROTHER THE COMPACT 4, HOWEVER THEY ARE ONLY HALF ITS SIZE. FITTED WITH 2 X 10W CREE LEDs AND PRODUCING 1600 LUMENS, THEY COME WITH A CHOICE OF EITHER FLOOD, SPOT OR SCENE REFLECTIVE BEAM PATTERNS. THIS SMALL LIGHT UNIT CERTAINLY PACKS A PUNCH WHEN IT COMES TO LUMEN OUTPUT. VERY VERSATILE DUE TO ITS SMALL SIZE MEANS IT CAN BE FITTED VIRTUALLY ANYWHERE, WHILE ITS FLEXIBLE MOUNTING BRACKET GIVES 90 DEGREE'S OF FITMENT. IDEAL REVERSE LIGHT OR MOUNTING IN A GRILLE OR SMALLER APERTURES WHEN DISCREET ILLUMINATION IS REQUIRED. FULLY ECE APPROVED TO ECE R10 STANDARD.

ALSO AVAILABLE AS A FLUSH MOUNT OPTION.

COMPACT 2 LIGHTING

| | FLOOD | SPOT | SCENE |
|-------------------------|---------------|---------------|---------------|
| PART NUMBER - BLACK | WDD0043 | WDD0044 | WDD0047 |
| NUMBER OF LEDs | 2 | 2 | 2 |
| WATTAGE / POWER | 20W | 20W | 20W |
| LED TYPE | CREE WHITE | CREE WHITE | CREE WHITE |
| LUMENS & AMP DRAW* | 1600LM @ 1.6A | 1600LM @ 1.6A | 1600LM @ 1.6A |
| BEAM PATTERN & DISTANCE | FLOOD @ 284M | SPOT @ 416M | SCENE @ 25M |

* BASED ON LED MANUFACTURER SPECIFICATIONS


AVAILABLE BEAM PATTERNS

FLOOD


SPOT

SCENE

FLEXIBLE MOUNTING
WITH A ROTATION
ANGLE OF MORE
THAN 90°



FLUSH MOUNT OPTION



WILDERNESS COMPACT 2+ COMPACT LED LIGHTS



50,000+ HOUR LIFESPAN • FULLY WATERPROOF • 5 YEAR WARRANTY



**MOUNTING BRACKETS
AND HARDWARE INCLUDED.**

**DEUTSCH CONNECTORS
INCLUDED.**

OUR WILDERNESS COMPACT 2+ HAS ALL THE ATTRIBUTES FROM ITS SMALLER BROTHER THE COMPACT 2, HOWEVER IT COMES WITH 2 EXTRA LEDs. FITTED WITH 4 x 5W CREE LEDs AND PRODUCING 2200 LUMENS, THEY COME WITH A CHOICE OF A FLOOD, SPOT OR SCENE REFLECTIVE BEAM PATTERN. THE COMPACT 2+ SCENE LIGHT IS FITTED WITH LARGER 10W CHIPS TO PRODUCE AN IMPRESSIVE 2800 LUMENS IN A VERY CLOSE AREA. THIS SMALL LIGHT UNIT CERTAINLY PUNCHES ABOVE ITS WEIGHT WHEN IT COMES TO LUMEN OUTPUT. VERY VERSATILE DUE TO ITS VERY SMALL SIZE

MEANS IT CAN BE FITTED VIRTUALLY ANYWHERE WHILE ITS FLEXIBLE MOUNTING BRACKET GIVES 90 DEGREE'S OF FITMENT. IDEAL WORK OR DRIVING LIGHT WHEN FITTED ON SMALLER MACHINES WHEN SPACE IS A PREMIUM. FULLY ECE APPROVED TO ECE R10 STANDARD.



COMPACT 2+ LIGHTING

| | FLOOD | SPOT | SCENE |
|-------------------------|---------------|---------------|---------------|
| PART NUMBER - BLACK | WDD0045 | WDD0046 | WDD0048 |
| NUMBER OF LEDs | 4 | 4 | 4 |
| WATTAGE / POWER | 20W | 20W | 40W |
| LED TYPE | CREE WHITE | CREE WHITE | CREE WHITE |
| LUMENS & AMP DRAW* | 2200LM @ 1.8A | 2200LM @ 1.8A | 2800LM @ 2.8A |
| BEAM PATTERN & DISTANCE | FLOOD @ 426M | SPOT @ 615M | SCENE @ 25M |


* BASED ON LED MANUFACTURER SPECIFICATIONS



FLEXIBLE MOUNTING
WITH A ROTATION
ANGLE OF MORE
THAN 90°



SCENE REFLECTOR OPTION



AVAILABLE BEAM PATTERNS

FLOOD

SPOT

SCENE

WILDERNESS 8 COMPACT 4

COMPACT LED LIGHTS



50,000+ HOUR LIFESPAN • FULLY WATERPROOF • 5 YEAR WARRANTY



**MOUNTING BRACKETS
AND HARDWARE INCLUDED.**



**PLUG & PLAY WIRING
HARNESS WITH SWITCH
AND SURGE PROTECTION.**



OUR COMPACT 4 AND 6 LIGHTS ARE ALL ASTUTELY ENGINEERED SMALL YET VERY POWERFUL. THEIR SMALL NATURE AND HIGH LUMEN OUTPUT COMBINED WITH THEIR ROBUSTNESS MAKES THEM IDEAL WORK LIGHTS ON PLANT OR MACHINERY OR AS ADDITIONAL DRIVING LIGHTS. THE COMPACT 4 MODELS ARE ALL FITTED WITH 4 x 10W CREE LEDs PRODUCING 3200 LUMENS AND COME WITH A CHOICE OF 'FLOOD' AND 'SPOT' REFLECTIVE BEAM PATTERNS FOR DISTANCE ILLUMINATION, ALSO AVAILABLE IS THE DIFFUSED LENS OPTION OR SCENE OPTION WHICH ARE IDEAL CLOSE WORK OR REVERSE LIGHTS FOR DISTANCES UP TO 25M. OUR COMPACT 6 MODEL COMES WITH 6 x 5W CREE LEDs PRODUCING 2800 LUMENS AND HAS A 'DRIVING' REFLECTOR BEAM PATTERN. FULLY ECE APPROVED TO ECE R10 STANDARD.

COMPACT 4




WILDERNESS
 **COMPACT 4**
FLOOD



- 20° FLOOD REFLECTOR BEAM
- IDEAL WORK LIGHT
- 4 x 10W LEDs

THE FLOOD LIGHT HAS 4 x 10W LEDs FITTED IN RIPPLED ROUND REFLECTORS TO PRODUCE A 20 DEGREES FLOOD BEAM PATTERN. AN IDEAL WORK LIGHT WHICH CAN BE MOUNTED ON A CAB OR MACHINE FOR DISTANCE ILLUMINATION OVER 20M. VERY VERSATILE LIGHT AND POPULAR WITH MACHINERY MANUFACTURERS.

FLOOD - 20°




WILDERNESS
 **COMPACT 4**
SPOT



- 10° SPOT REFLECTOR BEAM
- IDEAL LONG DISTANCE LIGHT
- 4 x 10W LEDs

THE SPOT LIGHT HAS 4 x 10W LEDs FITTED IN SMOOTH ROUND REFLECTORS TO PRODUCE A 10 DEGREES SPOT BEAM PATTERN. AN IDEAL LIGHT WHEN DISTANCE ILLUMINATION IS REQUIRED RATHER THAN A WIDE FLOOD BEAM. ALSO SUPPLIED WITH BLUE LEDs FOR CROP SPRAYER BOOM LIGHTING OR FORKLIFT TRUCK HAZARD WARNING.

SPOT - 10°




WILDERNESS
 **COMPACT 4**
DIFFUSED



- 60° DIFFUSED REFLECTOR BEAM
- IDEAL REVERSE OR CLOSE WORK LIGHT
- 4 x 10W LEDs

THE DIFFUSED LIGHT HAS 4 x 10W LEDs FITTED IN RIPPLED ROUND REFLECTORS WITH A DIFFUSED LENS RESULTING IN A MUCH WIDER LIGHT SPREAD OF 60 DEGREES. PERFECT FOR LIGHTING UP EQUIPMENT ON THE BACK OF A TRACTOR OR ADDITIONAL REVERSE LIGHTS ONLY UP TO 25M. THE DIFFUSED LENS IS ALSO EASIER ON THE EYE SHOULD AN OPERATOR LOOK DIRECTLY INTO IT.

DIFFUSED - 60°




WILDERNESS
COMPACT 4
SCENE



- 120° WIDE SCENE REFLECTOR BEAM
- CLOSE WORK AND AREA LIGHT
- 4 X 10W LEDs

THE SCENE LIGHT HAS 4 X 10W LEDs FITTED IN THE CENTRE OF A FOUR SIDED REFLECTOR TO GIVE A 120 DEGREE WIDE SPREAD OF LIGHT. AN IDEAL WORK LIGHT WHICH CAN BE MOUNTED ON A CAB OR MACHINE FOR CLOSE RANGE ILLUMINATION ONLY UP TO 25M. PRODUCES A MORE EVEN LIGHT SPREAD THAT IS CONTAINED COMPARED TO THE DIFFUSED THAT SCATTERS THE LIGHT.

SCENE - 120°



WILDERNESS
COMPACT 4
SCENE DUAL FUNCTION




- 120° WIDE SCENE REFLECTOR BEAM
- CLOSE WORK AND AREA LIGHT ALSO WITH OFF ROAD FOG/BRAKE/INDICATOR LIGHT

SHARING ALL THE SAME CHARACTERISTICS OF THE STANDARD COMPACT 4 SCENE LIGHTS, THIS MODEL IS FITTED WITH TWIN CIRCUITS ALLOWING FOR THE DUAL FUNCTION - 2 WHITE LEDs ALLOWING FOR SCENE ILLUMINATION AND THEN THE OPTION OF EITHER 2 RED LEDs ALLOWING FOR AN ADDITIONAL OFF ROAD BRAKE OR FOG LIGHT OR 2 AMBER LEDs FOR AN ADDITIONAL OFF ROAD INDICATOR.



SCENE - 120°




WILDERNESS
COMPACT
FLUSH MOUNT



- SUPPLIED WITH RUBBER GASKET
- STAINLESS STEEL FIXINGS

ALL THE COMPACT 4 AND 6 LIGHTS CAN BE SUPPLIED WITH A WIDER FRONT MOUNTING BEZEL THAT ALLOWS FOR THE LIGHT TO BE FLUSH MOUNTED INTO A PANEL OR BUMPER. THE DISCRETE FITMENT WILL REDUCE THE RISK OF THE LIGHT BEING KNOCKED OR DAMAGED WHEN IN USE. THIS OPTION ALSO COMES WITH A RUBBER GASKET AND 4 FIXING BOLTS.



WILDERNESS COMPACT 4 SPECIFICATION

FEATURES

- 50,000+ HOUR LIFESPAN
- 5 YEARS CONTINUOUS USE
- 94% OPTICAL REFLECTOR EFFICIENCY
- UNBREAKABLE & SCRATCH RESISTANT LENS ON BOTH SIDES
- 6063 ALUMINIUM HOUSING
- DURABLE UV RESISTANT PAINTING TECHNOLOGY
- 9-36 VOLT DC INPUT
- LOW POWER CONSUMPTION
- INSTANT ON/OFF, NO WARM UP
- OVER/UNDER VOLTAGE PROTECTION
- SEALED WATERPROOF DEUTSCH CONNECTOR
- OPERATING TEMP -40 ~ +145 DEG
- IP68 & IP69K RATING (WATER & DUST PROOF)
- CE & ROHS CERTIFICATION
- MIL810-STDG VIBRATION CERTIFIED
- SHOCK PROOF
- SALT & FOG CERTIFIED
- WATERPROOF HOUSING

DIMENSIONS




BLACK




WHITE (MARINE)

COMPACT 4



COMPACT 6



COMPACT LIGHTING

| | COMPACT 4 FLOOD | COMPACT 4 SPOT | COMPACT 4 DIFFUSED | COMPACT 4 SCENE | COMPACT 4 SCENE DUAL FUNCTION |
|-------------------------|--------------------|-------------------|-----------------------|--------------------|----------------------------------|
| PART NUMBER - BLACK | WDD0039 | WDD0040 | WDD0296 | WDD0038 | WDD0037 |
| NUMBER OF LEDs | 4 | 4 | 4 | 4 | 4 |
| WATTAGE / POWER | 40W | 40W | 40W | 40W | 40W |
| LED TYPE | CREE WHITE | CREE WHITE | CREE WHITE | CREE WHITE | CREE WHITE/RED/AMBER |
| LUMENS & AMP DRAW* | 3200LM @ 2.8A | 3200LM @ 2.8A | 3200LM @ 2.8A | 3200LM @ 2.8A | 3200LM @ 2.8A |
| BEAM PATTERN & DISTANCE | FLOOD @ 585M | SPOT @ 780M | DIFFUSED @ 25M | SCENE @ 25M | SCENE @ 25M |

* BASED ON LED MANUFACTURER SPECIFICATIONS

FOR ALL ACCESSORIES AND FIXINGS SEE PAGES 36 TO 42

WILDERNESS COMPACT 6 DRIVING




**MOUNTING BRACKETS
AND HARDWARE INCLUDED.**

**PLUG & PLAY WIRING
HARNESS WITH SWITCH
AND SURGE PROTECTION.**



- FOR WIDE BEAM DRIVING
- DISTANCE DRIVING LIGHT
- 6 x 5W LEDs
- DIMENSIONS SAME AS COMPACT 4 - SEE PAGE 14

DRIVING



THE DRIVING LIGHT HAS 6 x 5W LEDs FITTED IN SMOOTH OVAL REFLECTORS TO PRODUCE A DRIVING BEAM PATTERN. LOWER LUMEN OUTPUT COMPARED TO THE COMPACT 4 LIGHTS

HOWEVER THE DRIVING BEAM GIVES A NICE WIDE AND LONG BEAM PERFECT TO SUPPLEMENT VEHICLE LIGHTING WHEN FITTING THE LARGER BARS IS NOT AN OPTION.

COMPACT 6 LIGHTING

DRIVING

| | |
|-------------------------|----------------|
| PART NUMBER - BLACK | WDD0009 |
| NUMBER OF LEDs | 6 |
| WATTAGE / POWER | 30W |
| LED TYPE | CREE WHITE |
| LUMENS & AMP DRAW* | 2800LM @ 2.0A |
| BEAM PATTERN & DISTANCE | DRIVING @ 400M |

* BASED ON LED MANUFACTURER SPECIFICATIONS

WILDERNESS COMPACT 8



**MOUNTING BRACKETS
AND HARDWARE INCLUDED.**

**PLUG & PLAY WIRING
HARNESS WITH SWITCH
AND SURGE PROTECTION.**



DIMENSIONS

- HEIGHT: 92MM
- WIDTH: 100MM
- DEPTH: 79MM

COMPACT 8 LIGHTING

| | FLOOD | SPOT |
|---------------------|------------|------------|
| PART NUMBER - BLACK | WDD0058 | WDD0059 |
| NUMBER OF LEDs | 8 | 8 |
| WATTAGE / POWER | 40W | 40W |
| LED TYPE | CREE WHITE | CREE WHITE |
| LUMENS | 3000LM | 3000LM |

OUR COMPACT 8 LED FLOOD LIGHT BELONGS TO OUR RANGE OF SMALL LED WORKING LIGHTS, THESE SMALL YET VERY POWERFUL LIGHTS PRODUCE A MASSIVE 3000 LUMENS OF LIGHT. THE COMPACT 8 FEATURES 8 x 5 WATT LED'S, 4 LED'S FACING FORWARD WITH EITHER RIPPLED ROUND REFLECTORS TO PRODUCE A 20 DEGREE FLOOD BEAM PATTERN OR SMOOTH ROUND REFLECTORS TO PRODUCE A 10 DEGREE SPOT BEAM PATTERN. AN ADDITIONAL 2 LED'S ON EITHER SIDE OF THE LIGHT ALSO GIVE A MUCH

WIDER SPREAD OF LIGHT.

A STYLISH LIGHT WHICH WOULD LOOK AT HOME ON ANY 4X4 OR UTILITY VEHICLE.

AVAILABLE BEAM PATTERNS



WILDERNESS DUPLIX 3

DOUBLE ROW LED LIGHT BARS



50,000+ HOUR LIFESPAN • FULLY WATERPROOF • 3 YEAR WARRANTY



**MOUNTING BRACKETS
AND HARDWARE INCLUDED.**



**PLUG & PLAY WIRING
HARNESS WITH SWITCH
AND SURGE PROTECTION.**



**SECURITY NUT KIT
INCLUDED TO PREVENT
UNAUTHORISED REMOVAL.**



OUR DUPLEX 3 DOUBLE ROW LIGHT BARS SHARE THE SAME HIGH STANDARD IN BUILD QUALITIES AS THE DUPLEX 5 AND THE DUPLEX HYBRID RANGE OF LIGHTS. DESPITE BEING FITTED WITH SMALLER 3 WATT CREE LED CHIPS, THE LIGHT OUTPUT IS ONLY AROUND 20% LOWER COMPARED TO THE STANDARD DUPLEX 5 MODELS. AN IMPRESSIVE ENTRY LEVEL LIGHT WITH VERY HIGH CREDENTIALS ALL BACKED WITH THE WILDERNESS LIGHTING 3 YEAR GUARANTEE. FULLY ECE APPROVED TO ECE R10 STANDARD.

20" COMBI



30" COMBI

DUPLEX 3 LIGHTING

| | 10" COMBI | 20" COMBI | 30" COMBI | 40" COMBI | 50" COMBI |
|---------------------|------------|------------|------------|------------|------------|
| PART NUMBER - BLACK | WDD0331 | WDD0332 | WDD0333 | WDD0334 | WDD0335 |
| NUMBER OF LEDs | 20 | 40 | 60 | 80 | 100 |
| WATTAGE / POWER | 60W | 120W | 180W | 240W | 300W |
| LED TYPE | CREE WHITE | CREE WHITE | CREE WHITE | CREE WHITE | CREE WHITE |
| LUMENS* | 4480LM | 8960LM | 13440LM | 17920LM | 22400LM |
| BEAM PATTERN | COMBI | COMBI | COMBI | COMBI | COMBI |

* BASED ON LED MANUFACTURER SPECIFICATIONS

SIZES AVAILABLE: | 10" | 20" | 30" | 40" | 50" |

WILDERNESS DUPLUX 5

DOUBLE ROW LED LIGHT BARS



50,000+ HOUR LIFESPAN • FULLY WATERPROOF • 3 YEAR WARRANTY



**MOUNTING BRACKETS
AND HARDWARE INCLUDED.**



**PLUG & PLAY WIRING
HARNESS WITH SWITCH
AND SURGE PROTECTION.**



**SECURITY NUT KIT
INCLUDED TO PREVENT
UNAUTHORISED REMOVAL.**




OUR RANGE OF DUPLEX 5 DOUBLE ROW LIGHTS ARE THE ULTIMATE IN LED LIGHTING WITH SIZES FROM 6" TO 50". ALL THESE LIGHTS BENEFIT FROM 5W OSLOM LED'S EACH FITTED WITH A COMBINATION BEAM PATTERN. THESE LIGHTS WILL REALLY TRANSFORM NIGHT TO DAY GIVING YOU THE ULTIMATE IN ILLUMINATION. THE 10" AND 20" LIGHTS ARE ALSO AVAILABLE FULLY E-MARKED FOR USE ON YOUR VEHICLE'S MAIN BEAM WHILE TRAVELLING ON THE PUBLIC HIGHWAYS. ALL OF THE DUPLEX 5 RANGE OF LIGHTS CAN ALSO BENEFIT FROM HAVING A TWIN CIRCUIT FITTED WITH TWO ROWS OF DIFFERENT COLOURED LED'S. IDEAL IF YOU NEED BOTH A WHITE LIGHT AND AMBER LIGHT MORE SUITED FOR FOG, SNOW OR DUSTY CONDITIONS OR JUST AS A FLASHING AMBER WARNING LIGHT. FULLY ECE APPROVED TO ECE R10 STANDARD.

10" COMBI



WITH WHITE AND
AMBER LEDS



SIZES AVAILABLE: | 6" | 10" | 20" | 30" | 40" | 50" |

DUPLEX 5 LIGHTING

| | 6" COMBI | 10" E-MARK | 20" E-MARK | 30" COMBI | 40" COMBI | 50" COMBI |
|---------------------|---------------|---------------|----------------|-----------------|-----------------|-----------------|
| PART NUMBER - BLACK | WDD0065 | WDD0066 | WDD0067 | WDD0068 | WDD0069 | WDD0070 |
| NUMBER OF LEDS | 12 | 20 | 40 | 60 | 80 | 100 |
| WATTAGE / POWER | 60W | 100W | 200W | 300W | 400W | 500W |
| LED TYPE | OSLOM WHITE | OSLOM WHITE | OSLOM WHITE | OSLOM WHITE | OSLOM WHITE | OSLOM WHITE |
| LUMENS & AMP DRAW* | 3360LM @ 2.6A | 5600LM @ 4.1A | 11200LM @ 8.4A | 16800LM @ 12.7A | 22400LM @ 16.9A | 28000LM @ 21.0A |
| BEAM PATTERN | COMBI | COMBI | COMBI | COMBI | COMBI | COMBI |

* BASED ON LED MANUFACTURER SPECIFICATIONS

WILDERNESS DUPLIX HYBRIDS

DOUBLE ROW LED LIGHT BARS



**MOUNTING BRACKETS
AND HARDWARE INCLUDED.**




**PLUG & PLAY WIRING
HARNESS WITH SWITCH
AND SURGE PROTECTION.**



WITH THE EVER INCREASING QUEST FOR BRIGHTER LED VEHICLE LIGHTING, MANUFACTURERS ARE FACED WITH LIMITATIONS OF BEING ABLE TO FIT HIGHER POWERED & BRIGHTER LEDs DUE TO HEAT OUTPUT, USUALLY THE MANUFACTURERS FIT MORE POWERFUL LED CHIPS IN THEIR LIGHTS BUT REDUCE THE NUMBER OF THEM TO COMPENSATE FOR THE INCREASED HEAT, THERE WILL BE AN INCREASE IN LIGHT OUTPUT DUE TO THE HIGHER POWERED CHIPS, HOWEVER, THIS CAN SOMETIMES BE MINIMAL DUE TO THE REDUCED NUMBER OF LEDs FITTED WITHIN THE LIGHT.



WILDERNESS LIGHTING ARE PLEASED TO ANNOUNCE THE HYBRID VERSION OF OUR DUPLIX RANGE. THESE LIGHTS SHARE ALL OF THE HIGH QUALITY BUILD ATTRIBUTES FROM OUR DUPLIX LIGHTS BUT ARE FITTED WITH BOTH 10W CREE AND 3W OSLOM LED CHIPS. THE RESULTS ARE JUST MIND BLOWING WITH INCREASED LUMEN OUTPUT ON A 50" DUPLIX FROM THE RESPECTABLE 28,000 LUMENS TO AN INCREDIBLE 34,400 LUMENS!... DESPITE BEING FITTED WITH SPOT BEAM REFLECTORS WITHIN THE LIGHT, THE USE OF BOTH THE 10W AND 3W LED CHIPS PRODUCE A COMBINATION BEAM PATTERN BY UTILISING EACH OF THE CHIPS ATTRIBUTES.



SIZES AVAILABLE: | 10" | 20" | 30" | 40" | 50" |

HYBRID LIGHTING

| | 10" DUPLIX HYBRID | 20" DUPLIX HYBRID | 30" DUPLIX HYBRID | 40" DUPLIX HYBRID | 50" DUPLIX HYBRID |
|---------------------|----------------------------------|----------------------------------|----------------------------------|----------------------------------|----------------------------------|
| PART NUMBER - BLACK | WDD0530 | WDD0531 | WDD0532 | WDD0533 | WDD0534 |
| NUMBER OF LEDs | 20 | 40 | 60 | 80 | 100 |
| WATTAGE / POWER | 88W | 176W | 236W | 296W | 356W |
| LED TYPE | 3W OSLOM WHITE 10W CREE WHITE | 3W OSLOM WHITE 10W CREE WHITE | 3W OSLOM WHITE 10W CREE WHITE | 3W OSLOM WHITE 10W CREE WHITE | 3W OSLOM WHITE 10W CREE WHITE |
| LUMENS & AMP DRAW* | 8200LM @ 5.7A | 16400LM @ 10.7A | 22400LM @ 16.4A | 28400LM @ 19.9A | 34400LM @ 23.1A |
| BEAM PATTERN | COMBI | COMBI | COMBI | COMBI | COMBI |


* BASED ON LED MANUFACTURER SPECIFICATIONS

WILDERNESS DUPLX SPECIFICATION

FEATURES

- 50,000+ HOUR LIFESPAN
- 5 YEARS CONTINUOUS USE
- 94% OPTICAL REFLECTOR EFFICIENCY
- UNBREAKABLE & SCRATCH RESISTANT LENS ON BOTH SIDES
- 6063 ALUMINIUM HOUSING
- DURABLE UV RESISTANT PAINTING TECHNOLOGY
- 9-36 VOLT DC INPUT
- LOW POWER CONSUMPTION
- INSTANT ON/OFF, NO WARM UP
- OVER/UNDER VOLTAGE PROTECTION
- SEALED WATERPROOF DEUTSCH CONNECTOR
- OPERATING TEMP -40 ~ +145 DEG
- IP68 & IP69K RATING (WATER & DUST PROOF)
- CE & ROHS CERTIFICATION
- MIL810-STDG VIBRATION CERTIFIED
- SHOCK PROOF
- SALT & FOG CERTIFIED
- WATERPROOF HOUSING


DIMENSIONS



| SIZE | 6" | 10" | 20" | 30" | 40" | 50" |
|------|-------|-------|-------|-------|--------|--------|
| A | 83MM | 83MM | 83MM | 83MM | 83MM | 83MM |
| B | 88MM | 88MM | 88MM | 88MM | 88MM | 88MM |
| C | 250MM | 352MM | 606MM | 860MM | 1114MM | 1368MM |
| D | 189MM | 290MM | 544MM | 798MM | 1052MM | 1306MM |
| E | 190MM | 291MM | 545MM | 799MM | 1053MM | 1307MM |
| F | 66MM | 66MM | 66MM | 66MM | 66MM | 66MM |

BEAM PATTERN FOR DUPLX 3 & 5 LIGHT VERSIONS

COMBINATION



OUTSIDE LEDs
ARE FLOOD BEAM
REFLECTORS

CENTRE LEDs
ARE SPOT BEAM
REFLECTORS



FOR ALL ACCESSORIES AND FIXINGS SEE PAGES 36 TO 42

AREA & SCENE LIGHTING




**MOUNTING BRACKETS
AND HARDWARE INCLUDED.**



**PLUG & PLAY WIRING
HARNESS WITH SWITCH
AND SURGE PROTECTION.**



OUR RANGE OF SCENE LIGHTS ARE THE NEWEST TO THE WILDERNESS COLLECTION. BASED ON OUR DUPLEX AND COMPACT RANGE, THESE LIGHTS ARE FITTED WITH FOUR SIDED REFLECTORS WITH THE LEDs MOUNTED CLOSELY TOGETHER IN THE CENTRE. THE WIDE ASPECT OF THE REFLECTOR CREATES AN INCREDIBLE 120 DEGREE SPREAD OF EVEN LIGHT COMPARED TO THE DIFFUSED LIGHT. AS THE REFLECTOR IS STRAIGHT EDGED, THE LIGHT EMITTED CAN BE CONCENTRATED IN A SPECIFIC AREA BY THE OPERATOR. SIZES START IN THE COMPACT 2 LIGHT PERFECT FOR LIGHTING UP EQUIPMENT ON THE BACK OF A TRACTOR OR REVERSE LIGHT ALL THE WAY TO A 50" LIGHT FOR MUCH LARGER AREAS ON VERY LARGE MACHINES. FULLY ECE APPROVED TO ECE R10 STANDARD.



STYLES AND SIZES AVAILABLE:



COMPACT 4 SCENE



10" SCENE



20" SCENE



30" SCENE



40" SCENE



50" SCENE



COMPACT 2+



COMPACT 2



COMPACT 2 FLUSH MOUNT



CUSTOM COLOURS AVAILABLE ON ALL LIGHTS





SCENE DOWNLIGHTER

THE WILDERNESS LIGHTING DOWN LIGHTER SCENE LIGHT PRODUCES A 65 DEGREE SPREAD OF LIGHT TO GIVE YOU EXTRA ILLUMINATION WHEN NEEDED. THE TOUGH ALLOY HOUSING CAN BE MOUNTED TO VIRTUALLY ANY SURFACE TO ALLOW THE LIGHT TO BE PROJECTED TOWARDS THE TARGET AREA. THE 3 X 3W LEDs HOUSED IN THIS LIGHT PACK A REAL PUNCH WHEN IT COMES TO LUMEN OUTPUT PRODUCING 600 LUMENS WHILE CONSUMING LESS THAN 0.75AMP.

KEY FEATURES:

- 3 X 3 WATT CREE WHITE LED CHIPS - 9 WATTS
- MASSIVE 600 LUMENS OF LIGHT PRODUCED AT 0.75 AMPS
- DIFFUSED REFLECTIVE BEAM PATTERN - 65°
- NATURAL WHITE LIGHT




WILDERNESS SCENE SPECIFICATION

FEATURES

- 50,000+ HOUR LIFESPAN
- 5 YEARS CONTINUOUS USE
- 94% OPTICAL REFLECTOR EFFICIENCY
- UNBREAKABLE & SCRATCH RESISTANT LENS ON BOTH SIDES
- 6063 ALUMINIUM HOUSING
- DURABLE UV RESISTANT PAINTING TECHNOLOGY
- 9-36 VOLT DC INPUT
- LOW POWER CONSUMPTION
- INSTANT ON/OFF, NO WARM UP
- OVER/UNDER VOLTAGE PROTECTION
- SEALED WATERPROOF DEUTSCH CONNECTOR
- OPERATING TEMP -40 ~ +145 DEG
- IP68 & IP69K RATING (WATER & DUST PROOF)
- CE & ROHS CERTIFICATION
- MIL810-STDG VIBRATION CERTIFIED
- SHOCK PROOF
- SALT & FOG CERTIFIED
- WATERPROOF HOUSING

DIMENSIONS




| SIZE | 10" | 20" | 30" | 40" | 50" |
|------|-------|-------|-------|--------|--------|
| A | 83MM | 83MM | 83MM | 83MM | 83MM |
| B | 88MM | 88MM | 88MM | 88MM | 88MM |
| C | 352MM | 606MM | 860MM | 1114MM | 1368MM |
| D | 290MM | 544MM | 798MM | 1052MM | 1306MM |
| E | 291MM | 545MM | 799MM | 1053MM | 1307MM |
| F | 66MM | 66MM | 66MM | 66MM | 66MM |

- FOR **COMPACT 2** DIMENSIONS SEE PAGE 9
- FOR **COMPACT 2+** DIMENSIONS SEE PAGE 10
- FOR **COMPACT 4** DIMENSIONS SEE PAGE 14

BEAM PATTERN FOR ALL SCENE LIGHT VERSIONS

SCENE - 120°



DUPLEX SCENE LIGHTING

| | COMPACT 4 | 10" | 20" | 30" | 40" | 50" |
|---------------------|---------------|---------------|----------------|-----------------|-----------------|-----------------|
| PART NUMBER - BLACK | WDD0038 | WDD0630 | WDD0631 | WDD0632 | WDD0633 | WDD0634 |
| NUMBER OF LEDs | 4 | 20 | 40 | 60 | 80 | 100 |
| WATTAGE / POWER | 40W | 100W | 200W | 300W | 400W | 500W |
| LED TYPE | CREE WHITE | OSLON WHITE | OSLON WHITE | OSLON WHITE | OSLON WHITE | OSLON WHITE |
| LUMENS & AMP DRAW* | 3200LM @ 2.8A | 5600LM @ 4.1A | 11200LM @ 8.4A | 16800LM @ 12.7A | 22400LM @ 16.9A | 28000LM @ 21.0A |
| BEAM PATTERN | SCENE | SCENE | SCENE | SCENE | SCENE | SCENE |

* BASED ON LED MANUFACTURER SPECIFICATIONS

FOR ALL ACCESSORIES AND FIXINGS SEE PAGES 36 TO 42

WILDERNESS
CURVE 3
DOUBLE ROW
LED LIGHT BARS



50,000+ HOUR LIFESPAN • FULLY WATERPROOF • 3 YEAR WARRANTY



**MOUNTING BRACKETS
AND HARDWARE INCLUDED.**



**PLUG & PLAY WIRING
HARNESS WITH SWITCH
AND SURGE PROTECTION.**



**SECURITY NUT KIT
INCLUDED TO PREVENT
UNAUTHORISED REMOVAL.**



OUR RANGE OF CURVE DOUBLE ROW LIGHT BARS ARE BASED ON OUR VERY POPULAR DUPLEX LIGHTS AND HAVE BEEN DESIGNED WITH A GENTLE ARC TO THE ALUMINIUM HOUSING TO INCREASE THE LIGHT SPREAD. THE LIGHTS SHARE THE SAME HIGH STANDARDS IN THE BUILD QUALITIES AS THE CURVE 5 RANGE OF LIGHTS AND DESPITE BEING FITTED WITH SMALLER 3 WATT CREE LED CHIPS, THE LIGHT OUTPUT IS ONLY AROUND 20% LOWER COMPARED TO THE STANDARD CURVE 5 MODELS. AN IMPRESSIVE ENTRY LEVEL LIGHT WITH VERY HIGH CREDENTIALS ALL BACKED WITH THE WILDERNESS LIGHTING 3 YEAR GUARANTEE. FULLY ECE APPROVED TO ECE R10 STANDARD.

20" COMBI



SIZES AVAILABLE: | 20" | 30" | 40" | 50" |

CURVE 3 LIGHTING

| | 20" COMBI | 30" COMBI | 40" COMBI | 50" COMBI |
|---------------------|------------|------------|------------|------------|
| PART NUMBER - BLACK | WDD0451 | WDD0452 | WDD0453 | WDD0454 |
| NUMBER OF LEDs | 40 | 60 | 80 | 100 |
| WATTAGE / POWER | 120w | 180w | 240w | 300w |
| LED TYPE | CREE WHITE | CREE WHITE | CREE WHITE | CREE WHITE |
| LUMENS* | 8960LM | 13440LM | 17920LM | 22400LM |
| BEAM PATTERN | COMBI | COMBI | COMBI | COMBI |

* BASED ON LED MANUFACTURER SPECIFICATIONS



WILDERNESS CURVE 5

DOUBLE ROW LED LIGHT BARS



50,000+ HOUR LIFESPAN • FULLY WATERPROOF • 3 YEAR WARRANTY



**MOUNTING BRACKETS
AND HARDWARE INCLUDED.**



**PLUG & PLAY WIRING
HARNESS WITH SWITCH
AND SURGE PROTECTION.**



**SECURITY NUT KIT
INCLUDED TO PREVENT
UNAUTHORISED REMOVAL.**



OUR RANGE OF CURVE 5 DOUBLE ROW LIGHTS ARE BASED ON OUR VERY POPULAR DUPLEX LIGHTS AND HAVE BEEN DESIGNED WITH A GENTLE ARC TO THE ALUMINIUM HOUSING TO INCREASE THE LIGHT SPREAD. THEY SHARE ALL THE QUALITIES AND FEATURES OF THE DUPLEX RANGE OF LIGHTS AND COME IN SIZES FROM 10" TO 50". THESE LIGHTS WILL REALLY TRANSFORM NIGHT TO DAY GIVING YOU THE ULTIMATE ILLUMINATION WITH THE ADDED STYLE OF THE CURVE. OUR CURVE RANGE CAN ALSO BENEFIT FROM HAVING A TWIN CIRCUIT, THE ONLY MANUFACTURER TO OFFER THIS 1 ROW OF WHITE LEDs AND 1 ROW OF AMBER LEDs BOTH SWITCHED INDEPENDENTLY FOR VARYING CONDITIONS OR HAZARD WARNING. FULLY ECE APPROVED TO ECE R10 STANDARD.



50" COMBI



WITH WHITE
AND
AMBER LEDs

SIZES AVAILABLE:

10" | 20" | 30" | 40" | 50"

CURVE 5 LIGHTING

| | 10" COMBI | 20" COMBI | 30" COMBI | 40" COMBI | 50" COMBI |
|---------------------|---------------|----------------|-----------------|-----------------|-----------------|
| PART NUMBER - BLACK | WDD0430 | WDD0431 | WDD0432 | WDD0433 | WDD0434 |
| NUMBER OF LEDs | 20 | 40 | 60 | 80 | 100 |
| WATTAGE / POWER | 200w | 200w | 300w | 400w | 500w |
| LED TYPE | OSLON WHITE | OSLON WHITE | OSLON WHITE | OSLON WHITE | OSLON WHITE |
| LUMENS & AMP DRAW* | 5600LM @ 4.1A | 11200LM @ 8.4A | 16800LM @ 12.7A | 22400LM @ 16.9A | 28000LM @ 21.0A |
| BEAM PATTERN | COMBI | COMBI | COMBI | COMBI | COMBI |


* BASED ON LED MANUFACTURER SPECIFICATIONS

WILDERNESS CURVE SPECIFICATION

FEATURES

- 50,000+ HOUR LIFESPAN
- 5 YEARS CONTINUOUS USE
- 94% OPTICAL REFLECTOR EFFICIENCY
- UNBREAKABLE & SCRATCH RESISTANT LENS ON BOTH SIDES
- 6063 ALUMINIUM HOUSING
- DURABLE UV RESISTANT PAINTING TECHNOLOGY
- 9-36 VOLT DC INPUT
- LOW POWER CONSUMPTION
- INSTANT ON/OFF, NO WARM UP
- OVER/UNDER VOLTAGE PROTECTION
- SEALED WATERPROOF DEUTSCH CONNECTOR
- OPERATING TEMP -40 ~ +145 DEG
- IP68 & IP69K RATING (WATER & DUST PROOF)
- CE & ROHS CERTIFICATION
- MIL810-STDG VIBRATION CERTIFIED
- SHOCK PROOF
- SALT & FOG CERTIFIED
- WATERPROOF HOUSING


DIMENSIONS



| Size | 10" | 20" | 30" | 40" | 50" |
|------|-------|-------|-------|--------|--------|
| A | 83MM | 83MM | 83MM | 83MM | 83MM |
| B | 102MM | 102MM | 102MM | 102MM | 102MM |
| C | 304MM | 613MM | 811MM | 1065MM | 1320MM |
| D | 295MM | 549MM | 803MM | 1057MM | 1311MM |
| E | 293MM | 547MM | 800MM | 1054MM | 1309MM |
| F | 66MM | 66MM | 66MM | 66MM | 66MM |

BEAM PATTERN FOR ALL CURVE LIGHT VERSIONS

COMBINATION



OUTSIDE LEDs
ARE FLOOD BEAM
REFLECTORS

CENTRE LEDs
ARE SPOT BEAM
REFLECTORS



FOR ALL ACCESSORIES AND FIXINGS SEE PAGES 36 TO 42


WILDERNESS QUAD 4 ROW LED LIGHTS



**MOUNTING BRACKETS
AND HARDWARE INCLUDED.**

**DEUTSCH CONNECTORS
INCLUDED.**

OUR QUAD LIGHT PACKS A REAL PUNCH IN TERMS OF LIGHTING, THE 7.5" LIGHT HAS AN IMPRESSIVE 4 ROWS OF OSLOM LEDS AND FEATURES A COMBINATION REFLECTIVE BEAM PATTERN. THIS SUBSTANTIAL LIGHT HAS A TOUGH ALLOY HOUSING AND COMES WITH A HEAVY DUTY MOUNTING BRACKET COMPLETE WITH SECURITY NUTS TO PREVENT UNAUTHORISED REMOVAL. IDEAL TO LOCATE ON YOUR FRONT BUMPER OR ROLL CAGE. THIS IMPOSING LIGHT NOT ONLY LOOKS THE PART, IT ALSO DELIVERS. FULLY ECE APPROVED TO ECE R10 STANDARD.



QUAD LIGHTING

QUAD COMBI

| | |
|---------------------|---------------|
| PART NUMBER - BLACK | WDQ0001 |
| NUMBER OF LEDS | 20 |
| WATTAGE / POWER | 60W |
| LED TYPE | OSLOM WHITE |
| LUMENS & AMP DRAW* | 4800LM @ 4.6A |
| BEAM PATTERN | COMBI |

* BASED ON LED MANUFACTURER SPECIFICATIONS

AVAILABLE BEAM PATTERN

COMBI

WILDERNESS
ORB
ROUND
LED LIGHTS




50,000+ HOUR LIFESPAN • FULLY WATERPROOF • 3 YEAR WARRANTY



**MOUNTING BRACKETS
AND HARDWARE INCLUDED.**



**DEUTSCH CONNECTORS
INCLUDED.**



ORB MINI



*DAYTIME RUNNING LIGHTS
BUILT-IN AS STANDARD
ON 8" ORB*

OUR ORB LIGHTS CONSIST OF THE 7" MINI ORB AND ITS MUCH LARGER BROTHER THE 8" ORB. THE 7" MINI ORB HAS AN ARRAY OF 21 OSLOM LEDS WHILE THE 8" ORB HAS AN IMPRESSIVE 32 LEDS, THE 8" ORB ALSO BENEFITS FROM HAVING BUILT IN DAYTIME RUNNING LIGHTS ON EITHER SIDE FOR ADDED STYLE & SAFETY. BOTH LIGHTS COME WITH A 'COMBINATION' REFLECTIVE BEAM PATTERN WHILE THE 8" ORB CAN ALSO BE SUPPLIED WITH EITHER A 'FLOOD' OR 'SPOT' REFLECTIVE BEAM PATTERN. THE LIGHTS ALSO BENEFIT FROM HEAVY DUTY MOUNTING BRACKETS COMPLETE WITH SECURITY NUTS TO PREVENT ANY UNAUTHORISED REMOVAL. FULLY ECE APPROVED TO ECE R10 STANDARD.



AVAILABLE BEAM PATTERNS

FLOOD

SPOT


COMBI

WILDERNESS ORB SPECIFICATION

FEATURES

- 50,000+ HOUR LIFESPAN
- 5 YEARS CONTINUOUS USE
- 94% OPTICAL REFLECTOR EFFICIENCY
- UNBREAKABLE & SCRATCH RESISTANT LENS ON BOTH SIDES
- 6063 ALUMINIUM HOUSING
- DURABLE UV RESISTANT PAINTING TECHNOLOGY
- 9-36 VOLT DC INPUT
- LOW POWER CONSUMPTION
- INSTANT ON/OFF, NO WARM UP
- OVER/UNDER VOLTAGE PROTECTION
- SEALED WATERPROOF DEUTSCH CONNECTOR
- OPERATING TEMP -40 ~ +145 DEG
- IP68 RATING (WATER & DUST PROOF)
- CE & ROHS CERTIFICATION
- MIL810-STDG VIBRATION CERTIFIED
- SHOCK PROOF
- SALT & FOG CERTIFIED
- WATERPROOF HOUSING

DIMENSIONS



| | A | B | C | D |
|----------|-------|-------|------|-------|
| ORB | 215MM | 232MM | 84MM | 112MM |
| MINI ORB | 180MM | 200MM | 78MM | 88MM |

ORB LIGHTING

| | ORB FLOOD | ORB SPOT | ORB COMBINATION | ORB MINI |
|-------------------------|---------------|---------------|--------------------|---------------|
| PART NUMBER - BLACK | WDR0001 | WDR0002 | WDR0003 | WDR0004 |
| NUMBER OF LEDs | 32 | 32 | 32 | 21 |
| WATTAGE / POWER | 96W | 96W | 96W | 63W |
| LED TYPE | OSLON WHITE | OSLON WHITE | OSLON WHITE | OSLON WHITE |
| LUMENS & AMP DRAW* | 8800LM @ 7.4A | 8800LM @ 7.4A | 8800LM @ 7.4A | 5040LM @ 5.0A |
| BEAM PATTERN & DISTANCE | FLOOD @ 1000M | SPOT @ 1500M | COMBI @ 1300M | COMBI |

* BASED ON LED MANUFACTURER SPECIFICATIONS

FOR ALL ACCESSORIES AND FIXINGS SEE PAGES 36 TO 42



50,000+ HOUR LIFESPAN • FULLY WATERPROOF • 3 YEAR WARRANTY



OUR RANGE OF SOLO SINGLE ROW LIGHTS COME IN AN ARRAY OF SIZES FROM 6" TO 50", MEANING THEIR LEAN SLEEK PROFILE WOULD LOOK AT HOME ON THE ROOF OF ANY 4X4 OR MACHINE, ESPECIALLY WHEN SPACE MIGHT BE AN ISSUE FOR FITTING. ALL THE LIGHTS COME FITTED WITH A 'COMBINATION' REFLECTIVE BEAM PATTERN, HOWEVER THE 6" AND 10" LIGHTS ALSO HAVE THE OPTION OF A 'DRIVING' REFLECTIVE BEAM PATTERN FOR ADDED DRIVING ILLUMINATION. THE 10" AND 20" LIGHTS ARE NOW ALSO AVAILABLE FULLY E-MARKED FOR ROAD USE AND COME FITTED WITH 'SPOT' REFLECTIVE BEAM PATTERNS FOR ON ROAD LIGHTING. FULLY ECE APPROVED TO ECE R10 STANDARD.



20" COMBI



(MARINE)

10" COMBI



6" DRIVING

**MOUNTING BRACKETS AND
HARDWARE INCLUDED.**

**PLUG & PLAY WIRING HARNESS WITH
SWITCH AND SURGE PROTECTION.**

**SECURITY NUT KIT INCLUDED TO
PREVENT UNAUTHORISED REMOVAL.**

SIZES AVAILABLE: | 6" | 10" | 20" | 30" | 40" | 50" |

AVAILABLE BEAM PATTERNS

SPOT


COMBI

DRIVING


WILDERNESS SOLO SPECIFICATION

FEATURES

- 50,000+ HOUR LIFESPAN
- 5 YEARS CONTINUOUS USE
- 94% OPTICAL REFLECTOR EFFICIENCY
- UNBREAKABLE & SCRATCH RESISTANT LENS ON BOTH SIDES
- 6063 ALUMINIUM HOUSING
- DURABLE UV RESISTANT PAINTING TECHNOLOGY
- 9-36 VOLT DC INPUT
- LOW POWER CONSUMPTION
- INSTANT ON/OFF, NO WARM UP
- OVER/UNDER VOLTAGE PROTECTION
- SEALED WATERPROOF DEUTSCH CONNECTOR
- OPERATING TEMP -40 ~ +145 DEG
- IP68 & IP69K RATING (WATER & DUST PROOF)
- CE & ROHS CERTIFICATION
- MIL810-STDG VIBRATION CERTIFIED
- SHOCK PROOF
- SALT & FOG CERTIFIED
- WATERPROOF HOUSING



DIMENSIONS



| SIZE | 6" | 10" | 20" | 30" | 40" | 50" |
|------|-------|-------|-------|-------|--------|--------|
| A | 200MM | 302MM | 556MM | 810MM | 1064MM | 1318MM |
| B | 45MM | 45MM | 45MM | 45MM | 45MM | 45MM |
| C | 201MM | 303MM | 557MM | 811MM | 1065MM | 1319MM |
| D | 222MM | 324MM | 578MM | 832MM | 1086MM | 1340MM |
| E | 235MM | 337MM | 591MM | 845MM | 1099MM | 1353MM |
| F | 40MM | 40MM | 40MM | 40MM | 40MM | 40MM |
| G | 82MM | 82MM | 82MM | 82MM | 82MM | 82MM |

SOLO LIGHTING

| | 6" COMBI | 6" DRIVING | 10" COMBI | 10" DRIVING | 10" E-MARK | 20" COMBI | 20" E-MARK | 30" COMBI | 40" COMBI | 50" COMBI |
|-------------------------|---------------|----------------|---------------|----------------|---------------|----------------|---------------|-----------------|-----------------|-----------------|
| PART NUMBER - BLACK | WDS0045 | WDS0017 | WDS0046 | WDS0018 | WDS0046E | WDS0047 | WDS0047E | WDS0048 | WDS0049 | WDS0050 |
| NUMBER OF LEDs | 6 | 9 | 10 | 15 | 10 | 20 | 20 | 30 | 40 | 50 |
| WATTAGE / POWER | 30W | 45W | 50W | 75W | 30W | 100W | 60W | 150W | 200W | 250W |
| LED TYPE | OSLON WHITE | CREE WHITE | OSLON WHITE | CREE WHITE | OSLON WHITE | OSLON WHITE | OSLON WHITE | OSLON WHITE | OSLON WHITE | OSLON WHITE |
| LUMENS & AMP DRAW | 3245LM @ 2.4A | 3894LM @ 3.0A | 5390LM @ 3.3A | 6380LM @ 5.0A | 2880LM @ 2.9A | 10780LM @ 6.7A | 5760LM @ 5.7A | 16280LM @ 10.3A | 21560LM @ 14.6A | 27060LM @ 17.3A |
| BEAM PATTERN & DISTANCE | COMBI @ 670M | DRIVING @ 440M | COMBI @ 910M | DRIVING @ 530M | SPOT | COMBI @ 1210M | SPOT | COMBI @ 1570M | COMBI @ 1930M | COMBI @ 2180M |

* BASED ON LED MANUFACTURER SPECIFICATIONS

FOR ALL ACCESSORIES AND FIXINGS SEE PAGES 36 TO 42

OV

AL LED LIGHT


**MOUNTING BRACKETS
AND HARDWARE INCLUDED.**

**DEUTSCH CONNECTORS
INCLUDED.**


OUR RANGE OF 5" OVAL LIGHTS COME WITH A CHOICE OF DIFFUSED OR SPOT BEAM PATTERNS. THEIR SLEEK ROUNDED PROFILE MAKE THEM IDEAL FOR THE CURVED OR ROUNDED CABS FOUND ON MANY MODERN MACHINES AND VEHICLES. THESE LIGHTS ARE FITTED WITH 12 X 3W LED CHIPS WHICH GIVE AN IMPRESSIVE 3060LM OF LIGHT. NOW BEING USED BY A NUMBER OF AGRICULTURAL MANUFACTURERS IN THE UK. FULLY ECE APPROVED TO ECE R10 STANDARD.



SPOT



DIFFUSED



OV

AL LIGHTING

| | SPOT | DIFFUSED |
|-------------------------|---------------|---------------|
| PART NUMBER - BLACK | WDD0056 | WDD0057 |
| NUMBER OF LEDs | 12 | 12 |
| WATTAGE / POWER | 36W | 36W |
| LED TYPE | CREE WHITE | CREE WHITE |
| LUMENS & AMP DRAW* | 3060LM @ 3.0A | 3060LM @ 3.0A |
| BEAM PATTERN & DISTANCE | SPOT | DIFFUSED 60° |

* BASED ON LED MANUFACTURER SPECIFICATIONS

AVAILABLE BEAM PATTERNS

SPOT

DIFFUSED

WILDERNESS MULTI

UTILITY LED LIGHTS



50,000+ HOUR LIFESPAN • FULLY WATERPROOF • 3 YEAR WARRANTY



**MOUNTING
BOLTS INCLUDED.**

**LARGE WIRING CABLE
CONNECTED.**



OUR MULTI LIGHT IS A SMALL YET POWERFUL UNIT WHICH PRODUCES A WIDE 120 DEGREE LIGHT PATTERN. THE TOUGH ALLOY HOUSING AND RUBBER MOUNTING BASE IS ONLY SLIGHTLY LARGER THAN A MATCH BOX SO THIS MEANS THE LIGHT CAN BE FITTED ALMOST ANYWHERE ON A VEHICLE. THE LIGHT CONTAINS

3 x 3W CREE LEDs AND COMES IN A CHOICE OF 5 LED COLOURS INCLUDING WHITE, AMBER, BLUE, GREEN & RED.


ILLUMINATE THE UNDERSIDE OF YOUR VEHICLE WITH WHITE LEDs OR INSTALL AMBERS LEDs ON A FLASHER UNIT FOR A DISCREET HAZARD WARNING, THE OPTIONS ARE ENDLESS.



MULTI LIGHTING

| | |
|--------------------------|---------------|
| PART NUMBER • WHITE LEDs | WDR0008 |
| PART NUMBER • AMBER LEDs | WDR0009 |
| PART NUMBER • GREEN LEDs | WDR0010 |
| PART NUMBER • BLUE LEDs | WDR0011 |
| PART NUMBER • RED LEDs | WDR0012 |
| NUMBER OF LEDs | 3 |
| WATTAGE / POWER | 9W |
| LED TYPE | CREE WHITE |
| LUMENS & AMP DRAW* | 495LM @ 0.35A |
| VOLTAGE RANGE | 9 - 24V |
| BEAM PATTERN & DISTANCE | 120° SPREAD |

* BASED ON LED MANUFACTURER SPECIFICATIONS



**SEE PAGE 40 FOR 6 AND 8
LIGHT COLOUR CHANGING KITS**



**MOUNTING HARDWARE
INCLUDED.**



WILDERNESS
HAZARD 3



THE WILDERNESS HAZARD 3 IS AN ULTRA SLIM SURFACE MOUNTED AMBER LED WARNING LIGHT WHICH HAS A HOUSING OF 9MM WIDE. THIS MAKES THEM IDEAL WHEN SPACE IS A PREMIUM OR A COVERT LOOK IS PREFERRED. THESE LIGHTS COME WITH 18 DIFFERENT FLASH PATTERNS WHICH CAN BE CHANGED BY THE USER. THE HAZARD 3 IS FITTED WITH 3 X 3W LED'S WHICH PRODUCE AN INTENSE LIGHT THAT MEANS EVEN IF YOU'RE IN THE MOST OBSCURE PLACE, YOU WILL BE SEEN.

- 3 LED SURFACE MOUNT LIGHT HEAD
- ECE R65 SINGLE FLASH, ECE R10
- SAE J595 CLASS1 DOUBLE FLASH
- ECE R10
- 3 YEAR WARRANTY
- IP 67
- 3W EACH LED
- FIVE CABLES, 18 FLASH PATTERNS
- MEMORY FUNCTION
- DC 12V~24V
- SIZE: L82xW30xH9MM

WILDERNESS
HAZARD 6



THE WILDERNESS HAZARD 6 IS AN ULTRA SLIM SURFACE MOUNTED AMBER LED WARNING LIGHT WHICH HAS A HOUSING OF 7MM WIDE. THIS MAKES THEM IDEAL WHEN SPACE IS A PREMIUM OR A COVERT LOOK IS PREFERRED. THESE LIGHTS COME WITH 18 DIFFERENT FLASH PATTERNS WHICH CAN BE CHANGED BY THE USER. THE HAZARD 6 IS FITTED WITH 6 X 3W LED'S WHICH PRODUCE AN INTENSE LIGHT THAT MEANS EVEN IF YOU'RE IN THE MOST OBSCURE PLACE, YOU WILL BE SEEN.

- 6 LED SURFACE MOUNT LIGHT HEAD
- ECE R65 SINGLE FLASH, ECE R10
- SAE J595 CLASS1 DOUBLE FLASH
- ECE R10
- 3 YEAR WARRANTY
- IP 67
- 3W EACH LED
- FIVE CABLES, 18 FLASH PATTERNS
- WITH MEMORY FUNCTION
- DC 12V~24V
- SIZE: L130xW30xH7MM



WILDERNESS HAZARD 360

THE HAZARD 360 IS A HIGH INTENSITY MINI LIGHT BAR FITTED WITH 80 LED'S TO GIVE AN UNMISSABLE FLASH. IT COMES WITH BOTH ROOF TOP MAGNETIC MOUNTS AND BOLT FIXINGS WHILE POWERED VIA A 12V CIGARETTE/AUXILIARY POWER SOURCE. A CHOICE OF 18 FLASH PATTERNS CAN BE CHOSEN BY THE OPERATOR.

- 80 HIGH INTENSITY LEDS - 50 WATTS
- ECE R10
- ECE R65 SINGLE FLASH
- SAE J845 CLASS1 DOUBLE FLASH
- DC 12-24V
- IP56 WATER AND DUST INGRESS RATING
- AUXILIARY/CIGARETTE POWER FEED
- MAGNETIC & BOLT FIXING - MAGNETIC MOUNTS FOR SPEEDS UP TO 70MPH (112KM/H)
- -30°C TO + 50°C TEMPERATURE RANGE



WILDERNESS

VEHICLE MOUNTS

BESPOKE MOUNTS AND MESH GRILLES

WE NOW OFFER A RANGE OF BESPOKE VEHICLE MOUNTS AND MESH GRILLES THAT ALLOW FITMENT OF YOUR LIGHTS WITHOUT COMPROMISING THE LOOKS. NEW MODELS ARE CONSTANTLY BEING ADDED SO TAKE A LOOK ON OUR WEBSITE.



WILDERNESS BUMPER BEAMS

LIGHT MOUNTS FOR 20" SOLO OR 20" DUPLEX LIGHTS

- 30+ MODEL SPECIFIC MOUNTS AVAILABLE
- UNIVERSAL MOUNTS ALSO AVAILABLE

OUR WILDERNESS LIGHTING LED LIGHT BAR BEAM MOUNTS NOW ALLOW YOU TO FIT ONE OF OUR HIGH QUALITY LED LIGHT BARS ONTO YOUR CHERISHED VEHICLE WITHOUT COMPROMISING THE LOOK OF THE CAR. MANY CUSTOMERS ARE PUT OFF FROM FITTING A LIGHT BAR TO THEIR CAR AS THEY DO NOT WANT TO COMPROMISE THE LOOK WITH A MESSY OR UNPROFESSIONAL INSTALLATION. THE FLIMSY CONSTRUCTION OF MANY BUMPERS ON MODERN CARS TODAY ALSO DO NOT ALLOW FOR FITMENT OF HEAVY OR OBSCURE SHAPED ITEMS SUCH AS OUR BARS.

OUR WILDERNESS LIGHTING LED LIGHT BAR BEAM MOUNT IS THE PERFECT SOLUTION. CONSTRUCTED FROM ALUMINIUM AND COATED IN A TEXTURED POWDER COAT, THIS MOUNT ALLOWS FOR THE SECURE FITMENT OF OUR 20" DUPLEX DOUBLE ROW OR 20" SOLO SINGLE ROW LED LIGHT BARS TO THE FRONT BUMPER WHILE ALSO GIVING AN UNOBSCURED MOUNTING FOR YOUR NUMBER PLATE.


CURRENTLY WE HAVE OVER 30 MODEL SPECIFIC BEAM MOUNTS WHICH COME COMPLETE WITH MOUNTING BRACKETS DESIGNED FOR THE VEHICLE. THIS LIST IS CONSTANTLY GROWING WITH NEW MODELS BEING ADDED WEEKLY.

AS WELL AS MODEL SPECIFIC MOUNTING KITS, WE CAN SUPPLY A UNIVERSAL MOUNTING KIT WHICH CAN BE FITTED TO MOST OTHER VEHICLES WITH SOME MODIFICATION.

THIS UNIVERSAL KIT HAS THE BRACKET MOUNTED TO THE CAR'S CRASH BEAM, EITHER BY THE BEAM BEING DRILLED AND THREADED OR BY DRILLING A HOLE THROUGH THE BEAM AND BEING SECURED AT THE REAR WITH A NUT. THE MOUNTING KIT INCLUDES M8 X 200MM FULLY THREADED BOLTS AND ALUMINIUM SPACERS THAT CAN BE ADAPTED FOR THE CORRECT MOUNTING.



BLUE BOOM SPRAYER KITS



OUR VERY POPULAR COMPACT 4 LED LIGHTS HAVE NOW BEEN FITTED WITH BLUE LEDs. THIS NOW ALLOWS YOU TO SPRAY AT NIGHT WITH THE CONFIDENCE THAT IF A NOZZLE IS NOT PERFORMING CORRECTLY YOU WILL BE ABLE TO IDENTIFY IT QUICKLY. THE TWO HIGH POWERED COMPACT 4 LIGHTS ARE MOUNTED ONTO THE SPRAYER BOOM TO ILLUMINATE ALONG THE LENGTH TO EFFECTIVELY HIGHLIGHT EACH NOZZLE AND ITS SPRAY PATTERN. THE CONTRAST IN COLOUR OF THE BLUE LIGHT AND THE WATER/CHEMICAL FROM THE NOZZLES MAKES IT MUCH EASIER TO SPOT A PROBLEM COMPARED TO USING CONVENTIONAL WHITE LIGHTS.

KITS CONTAIN 2 x COMPACT 4 BLUE LED BOOM LIGHTS, 1 x 3 METRE TWIN OUTLET POWER CABLE WITH WATERPROOF DEUTSCH CONNECTORS AND 2 x 12 METRE WATERPROOF EXTENSION LEADS WITH DEUTSCH CONNECTORS - IDEAL FOR LARGER SELF-PROPELLED MACHINES.





SPECIAL LIGHTING KITS & ACCESSORIES

WE NOW OFFER A SELECTION OF SPECIALIST LIGHTING KITS AS WELL AS A NUMBER OF ACCESSORIES TO ALLOW YOU TO GET THE FULL BENEFIT FROM YOUR LIGHTS. THESE INCLUDE A VARIETY OF FIXING BRACKETS, MOUNTS, PROTECTIVE LIGHT COVERS, SECURITY NUTS TO PREVENT UNAUTHORISED REMOVAL AND EXTENSION WIRING LOOMS FOR WHEN MORE THAN ONE LIGHT IS BEING FITTED.



MULTI LIGHT KIT

YOU CAN NOW CONTROL YOUR MULTI LIGHTS VIA THIS CLEVER LITTLE WIRELESS MODULE WHICH CONNECTS DIRECTLY TO YOUR MOBILE PHONE. SIMPLY WIRE UP TO 6 MULTI LIGHTS TO THE CONTROLLER AND DOWN LOAD THE APP - BOTH IOS AND ANDROID OPERATING SYSTEMS.

THIS KIT HAS EITHER 6 OR 8 OF THE COMBINED RGB MULTI LIGHTS WHICH CONTAIN 3 LED CHIPS (1 X RED, 1 X GREEN, 1 X BLUE) WHICH ALLOW YOU TO CHANGE THE COLOUR OF THE LIGHT EMITTED TOGETHER WITH A HOST OF OTHER FEATURES. THE STANDARD ONE COLOUR MULTI LIGHTS CAN ALSO BE CONNECTED TO THIS MODULE WITHOUT THE COLOUR CHANGING OPTIONS. ONCE CONNECTED YOU CAN CONTROL THE LIGHTS GIVING YOU THESE ADDED FEATURES.

- CONTROL LIGHT BY VOICE
- CONTROL LIGHT BY MUSIC
- CONTROL SINGLE COLOUR LIGHT
- SET GRADUAL COLOUR CHANGE (RGB LEDS OPTION ONLY)
- SET YOUR OWN COLOUR (RGB LEDS OPTION ONLY)
- SET YOUR OWN COLOUR BY CAMERA (RGB LEDS OPTION ONLY)
- SET TIME/ALARM FOR THE LIGHTS TO COME ON/OFF



INFRARED LIGHTS

WE CAN NOW FIT INFRARED LED CHIPS TO SOME OF OUR LIGHTS MODELS TO PROVIDE A HIGH-POWERED, STEALTHY INFRARED LIGHT SOURCE. THE LIGHTS PRODUCE A BEAM OF ENERGY AT 940 NANOMETRES, WHICH IS CONSIDERED INVISIBLE ENERGY THEREFORE ENHANCING NIGHT VISION ABILITY FOR PUBLIC SAFETY, MILITARY PERSONAL AND SECURITY SERVICES USING THIS INFRARED TECHNOLOGY. MAKE SURE YOU CAN SEE THEM BEFORE THEY CAN SEE YOU. AVAILABLE IN OUR COMPACT 4, DUPLEX 10" AND SOLO 10" MODELS.



POWER LEAD WITH TWIN OUTLET

READY-MADE WIRING LOOM FOR RUNNING 2 SMALL LIGHTS TOGETHER FROM ONE POWER SOURCE. THE LOOM IS APPROXIMATELY 3 METRES LONG AND INCLUDES BATTERY EYELET TERMINALS, FUSE, RELAY, SWITCH AND TWIN DEUTSCH CONNECTORS WHICH PLUG DIRECTLY INTO ALL OF OUR LIGHTS. THIS LOOM IS ONLY SUITABLE FOR THE WILDERNESS COMPACT RANGE - FOR LARGER LIGHTS PLEASE SEE LOOM FOR DUPLEX AND SOLO MODELS.



12M EXTENSION LEAD

WATERPROOF 12M EXTENSION LEAD COMPLETE WITH DEUTSCH CONNECTORS ON EITHER END FOR EASE OF FITMENT FOR YOUR LIGHTS.




COMPACT LIGHT COVERS

GIVE YOU COMPACT 4 OR COMPACT 6 LIGHTS ADDED PROTECTION WHEN NOT IN USE OR CHANGE THE LIGHT COLOUR WITH THESE DURABLE 'CLIP ON' LIGHT COVERS. AVAILABLE IN A CHOICE OF TRANSPARENT AND SOLID COLOURS.



SLOTTED MOUNTING BRACKETS

IF YOU ARE THINKING OF FITTING YOUR DUPLEX OR SOLO LIGHTS TO A BULL BAR OR ROOF RACK THESE SLOTTED MOUNTING BRACKETS ARE IDEAL. MEASURING 9CM IN LENGTH, THESE BRACKETS CAN BE WELDED INTO POSITION GIVING A SECURE AND PERMANENT FIXING FOR YOUR LIGHTS.



CRADLE MOUNTS

OUR CRADLE MOUNTS ARE AN ALTERNATIVE OPTION TO MOUNTING YOUR LIGHT TO EXISTING FLAT SURFACES OR WHERE TRADITIONAL MOUNTS WON'T WORK. SIMPLY FIX THE CRADLE TO THE FLAT SURFACE AND THEN MOUNT THE LIGHT ON TO IT TO ENSURE A SECURE FIT. MANUFACTURED WITH A UV RESISTANT PAINT FOR ADDED LONGEVITY AND COMPLETE WITH STAINLESS STEEL FIXINGS. WE HAVE CRADLES FOR BOTH SINGLE AND DOUBLE ROW LIGHTS FROM 4" TO 50".

- WDB0012 - 4" DOUBLE ROW
- WDB0013 - 6" DOUBLE ROW
- WDB0014 - 10" DOUBLE ROW
- WDB0015 - 20" DOUBLE ROW
- WDB0016 - 30" DOUBLE ROW
- WDB0017 - 40" DOUBLE ROW
- WDB0018 - 50" DOUBLE ROW
- WDB0019 - 6" SINGLE ROW
- WDB0020 - 10" SINGLE ROW
- WDB0021 - 20" SINGLE ROW
- WDB0022 - 30" SINGLE ROW
- WDB0023 - 40" SINGLE ROW
- WDB0024 - 50" SINGLE ROW



SPECIAL LIGHTING KITS & ACCESSORIES



CLAMP KITS

INCREASE YOUR OPTIONS OF WHERE TO MOUNT YOUR LED LIGHTS WITH THIS 3 PIECE CLAMP SYSTEM. THESE CLAMPS ALLOW YOU TO MOUNT YOUR LIGHT AT ANY ANGLE. AVAILABLE IN 11 DIFFERENT SIZES TO ACCOMMODATE MOST ROLL CAGES, HAND RAILS OR HANDLE BAR DIAMETERS. THESE DURABLE ALUMINUM MOUNTING BRACKETS ARE COATED WITH A UV-RESISTANT PAINT FOR ADDED LONGEVITY. FITS TUBES FROM 0.875 INCH TO 3.25 INCHES IN DIAMETER. KITS COME WITH 2 CLAMPS.

WDB0001 - 0.875" CLAMP KIT
WDB0002 - 1.0" CLAMP KIT
WDB0003 - 1.25" CLAMP KIT
WDB0004 - 1.5" CLAMP KIT
WDB0005 - 1.75" CLAMP KIT
WDB0006 - 2.0" CLAMP KIT
WDB0007 - 2.25" CLAMP KIT
WDB0008 - 2.5" CLAMP KIT
WDB0009 - 2.75" CLAMP KIT
WDB0010 - 3.0" CLAMP KIT
WDB0011 - 3.25" CLAMP KIT



PROTECTIVE LIGHT COVERS

GIVE YOUR WILDERNESS LIGHTING LIGHTS THE MAXIMUM PROTECTION WHEN NOT IN USE WITH THESE TOUGH PROTECTIVE LIGHT COVERS. MANUFACTURED FROM DURABLE PLASTIC, THESE COVERS SIMPLY CLIP OVER THE LIGHTS WHEN NOT IN USE AND CAN BE REMOVED IN SECONDS. AVAILABLE FOR ALL OUR LIGHT RANGE IN A VARIETY OF COLOURS.



SPARE FITTING KITS

LARGE SELECTION OF MIXED BOLTS AND FIXING ACCESSORIES TO ASSIST IN THE FITTING OF YOUR LIGHTS. KIT INCLUDES WATER PROOF RINGS, 2 X M5 BOLTS WITH IP68 BREATHER, 2 X NYLON WASHERS, 2 X ANTI SLIP NUTS AND A VARIETY OF DIFFERENT SIZE NUTS AND BOLTS.



ADAPTOR WIRING LOOMS

MAKE INSTALLATION EASIER WHEN ADDING MORE THAN ONE LIGHT TO YOUR VEHICLE WITH THESE EXTENSION LOOMS.

1 FEMALE CONNECTOR TO 2 MALE CONNECTORS ALLOWS FOR 2 LIGHTS TO BE CONNECTED FROM ONE SWITCH OR 1 FEMALE CONNECTOR TO 4 MALE CONNECTORS ALLOW 4 LIGHTS FROM ONE SWITCH.



SECURITY NUT KIT

ENSURE YOUR LIGHTS ARE SAFE AND SECURE AND DO NOT GO MISSING WITH THIS SECURITY NUT KIT. COMES COMPLETE WITH 2 SECURITY NUTS AND A HEX NUT BIT TO ENSURE ONLY AUTHORISED REMOVAL.



FLASHER UNITS

THIS 12 VOLT FLASHER WILL FLASH UP TO 10 INCHES OF OUR LIGHTS IN THE PATTERNS BELOW. IT FEATURES A WATERPROOF HOUSING AND CAN FLASH ONE COMPLETE 10 INCH AND SMALLER SECTION OR TWO SEPARATE SECTIONS THAT DONT EXCEED 10 INCHES.

WIRING INSTRUCTIONS ARE INCLUDED.

7 PATTERNS:

- DOUBLE ALTERNATING
- QUAD ALTERNATING
- QUINT ALTERNATING
- MEGA ALTERNATING
- DOUBLE SIMULTANEOUS
- QUAD SIMULTANEOUS
- RANDOM

